



## Speech Recognition Headsets

### **Clarity and comfort. Reliable performance.**

**In the world of distribution, where productivity can be measured in seconds, team members can't afford to miss hearing a single assignment, nor be burdened with repeating responses. When every second counts, Vocollect's speech recognition headsets provide the performance you need in even the most demanding industrial environments.**



# SR SERIES SPEECH RECOGNITION HEADSETS

## Padded Headband

Keeps headset in place and provides ))))))) comfort during extended work shifts.

## Adjustment Strap

Accommodates 95% of worker head sizes.

## Ear Cup

Patent-pending ball-and-socket ))))))) mechanism makes ear pad replacement easy. Pads snap into place in seconds so your team stays productive.

## Waterproof Noise-Canceling Microphone

Delivers optimal speech recognition performance.

- ▄ To maximize first-time speech recognition accuracy, the SR Series comes equipped with a custom high-performance noise canceling microphone. One side provides for high-quality speech input and the other side eliminates interference from workplace noise.
- ▄ A talk-side visual indicator makes it easy for your team to know they are speaking into the correct side of the microphone.

## Microphone Boom

Delivers first-time speech recognition performance.

- ▄ Three-position Speech Groove™ and rotating boom makes it easy to maintain the proper angle for repeatable positioning of the microphone.
- ▄ Provides a single headset solution to wear on either ear simply by rotating the microphone boom.
- ▄ A retention feature keeps the moisture-resistant coated windscreen in place.

## CONNECTOR OPTIONS

### Industrial-grade Breakaway Connector

- ▄ In the event the cable is subject to unusual strain, our patented breakaway connector separates cleanly from the device. Neither the headset nor the device will be damaged. Tested to provide six years of continuous industrial use.
- ▄ Maximizes audio quality via an extremely secure connection.



### Consumer-grade Audio Jack

Tested to provide approximately one year of industrial use.



## SR SERIES SPEECH RECOGNITION HEADSETS

MODEL	Ordering No.	Style	Connection Type
	SR-20 HD-700-1	Lightweight, single cup, straight cord	Vocollect Break-away
	SR-20 HD-700-2	Lightweight, single cup, coiled cord	Vocollect Break-away
	SR-21 HD-701-1	Lightweight, single cup, straight cord	Standard consumer-grade audio jack
	SR-30 HD-702-1	High-noise, single cup, straight cord	Vocollect Break-away
	SR-31 HD-703-1	High-noise, single cup, straight cord	Standard consumer-grade audio jack
	SR-35 HD-704-1	High-noise, hard hat, single cup, straight cord	Vocollect Break-away
	SR-40 HD-705-1	High-noise, dual cup	Vocollect Break-away

## REPLACEMENT PARTS

	Ordering No.	Compatible With	Contents
	HD-700-102B	All SR models	25 microphone windscreens
	HD-700-103B	All SR models	10 cord clips
	HD-700-104B	SR-20, SR-21	25 leatherette earpads
	HD-700-106B	SR-20, SR-21 SR-30, SR-31	25 T-bar pads
	HD-702-103B	SR-30, SR-31 SR-35, SR-40	10 leatherette earpads

## MAINTENANCE KITS

	Ordering No.	Compatible With	Contents
	HD-700-101	SR-20, SR-21	25 standard foam earpads, 30 headband pads, 10 earpad mounting disks
	HD-700-105B	SR-20, SR-21	50 standard foam earpads, 25 earpad mounting disks
	HD-700-101	SR-30, SR-31, SR-40	15 leatherette earpads, 30 headband pads, 5 earpad mounting disks

## SPECIFICATIONS:

**Low Operating Temperature:** -40°C (-40°F)

**Low Storage Temperature:** -40°C (-40°F)

**High Operating Temperature:** 50°C (122°F)

**High Storage Temperature:** 70°C (158°F)

**Water Resistance:** Meets IP67

**Humidity:** 100% condensing

**Microphone:** Sealed, Noise Canceling

**Drop Resistant:** 15 drops from 7 feet (2.1m) at min and max operating temperatures. 50 drops from 6 feet (1.8m) at min and max operating temperatures.

## WEIGHTS:

		WITH CABLE		WITHOUT CABLE	
		Ounces	Grams	Ounces	Grams
HD-700-1	SR-20	5.4	153	3.9	110
HD-700-2	SR-20	6.5	184	3.9	110
HD-701-1	SR-21	5.0	141	3.9	110
HD-702-1	SR-30	7.7	218	6.2	175
HD-703-1	SR-31	7.3	206	6.2	175
HD-704-1	SR-35	6.2	175	4.7	133
HD-705-1	SR-40	9.6	272	8.1	229

## NOISE REDUCTION RATINGS:

SR-2x series Not applicable

SR-3x series Average of 5dB

SR-4x series Average of 7dB



[www.vocollect.com](http://www.vocollect.com)

Vocollect Americas:  
info@vocollect.com  
412.829.8145

Vocollect Europe:  
Voc\_emea@vocollect.com  
+44 (0) 870.600.8255